

SPIGOT MOUNT DETAIL


- NOTES:
- ALL INFILL PANELS TO BE 12mm TEMPERED AND HEAT SOAKED GLASS IN ACCORDANCE WITH CAN/CGSB-12.1-1-M
 - ALL DESIGN LOADS COMPLIANT WITH OBC 4.1.5.14
 - SITE VERIFY ALL DIMENSIONS

INVISIRAIL
GLASS RAIL SYSTEM

ENGINEER SEAL:



STANDARD PANELS
36", 39", 42", 45", 48", 51", 54", 57", 60", 63", 66"
CUSTOM PANELS
6.75" - 35"




**12mm TEMPERED
AND HEAT SOAKED GLASS
POLISHED EDGES
SAFETY CORNERS**

INVISIRAIL
GLASS RAIL SYSTEM


ENGINEER SEAL:




WOOD SURFACE CONNECTION



PLAN VIEW



SECTION



ELEVATION


INVISIRAIL™
GLASS RAIL SYSTEM

ENGINEER SEAL:

LICENSED PROFESSIONAL ENGINEER
A. JASEK




CONCRETE SURFACE CONNECTION



INVISIRAIL™
GLASS RAIL SYSTEM


ENGINEER SEAL:



SPIGOT CENTRE
 GLASS WIDTH IN FROM EACH END SPIGOT O/C





"W"	"A"	"B"
66	6	54
63	6	51
60	6	48
57	6	45
54	6	42
51	6	39
48	6	36
45	6	33
42	6	30
39	6	27
36	6	24
33	5	23
30	5	20
27	5	17
24	5	14
21	4	13
18	4	10
15	3	9
12	3	6
9.375	2.3125	4.75
6.75	1	4.75

SPIGOT SPACING



OUTSIDE EDGES OF GLASS LINED UP WITH OUTSIDE OF SPIGOT BASES
 OUTSIDE EDGES OF GLASS LINED UP WITH OUTSIDE OF SPIGOT UPRIGHTS





**2205 STAINLESS STEEL
SQUARE DECK-MOUNT
GLASS SPIGOT**

INVISIRAIL
GLASS RAIL SYSTEM

ENGINEER SEAL:

